

Logo	header						
	Home	Products	Manufact	Distributors	Support	Links	

# Material Safety Data Sheet 1/22/03

(800) 451-1355 (805) 240-1300 Phone (805) 240-1301 Fax

## I. PRODUCT INFORMATION

### Product Name: Laube Blade Dip

Product Class: 85 (Flammable) D.O.T. Proper shipping Name: ORM-D Consumer Commodity  
 General MSDS Information: (805) 240-1300  
 NFPA Codes: Health-0 Flammability-3 Corrosive-0 Reactivity-0

24 Hr. Emergency Assistance  
**Infotrac 800 535-5053 (352) 323-3500**

**Manufacturer: Kim Laube & Co. Inc.**  
 2221 Statham Blvd. Oxnard, CA 93033

**SHIPPING INSTRUCTIONS: Ground Only (Do Not ship by Air)**

## II. COMPONENTS

Component	Component	Component
Kerosene CAS #9002-05-9	PEL: No Limit TLV: No Limit	Triclosan CAS#3380-34-5
Highly Refined White Oil CAS # 8042-47-5	PEL: No Limit TLV: No Limit	

## III. PHYSICAL DATA

Boiling Point or Range: Not Determined	Vapor Pressure For Product: Not Determined
Vapor Density (Air=1): Not Determined	Specific Gravity: 0.984
VOC: Not Determined	Water Solubility: NIL
Appearance: Clear Purple Liquid	

## IV. FIRE AND EXPLOSION HAZARDS DATA

Flash Point: (TCC) Flammable Classification: Level 3 Consumer Commodity  
 Extinguishing Media: CO2, dry chemical, foam, Halongenated extinguishing agent.

**Special fire fighting Procedures:** Summons professional firefighters. Use protective equipment, including self-contained breathing apparatus. Water may be ineffective. If water is used, fog nozzles are preferable.

## V. HEALTH HAZARD DATA

**Threshold Limit Value:** See Section II  
**Eye Contact:** Slightly irritating but does not irritate eye tissue.

**Skin Contact:** Low Order of toxicity. Frequent or prolonged contact may irritate and cause dermatitis. Skin contact may aggravate an existing dermatitis condition.

**Inhalation:** None

**Ingestion:** May cause nausea or vomiting, possible minimal toxicity.

Chronic-reports have associated repeated breathing of spray mist and/or sanding dust over a period of years cause dust disease of the lungs.

#### **Emergency and First Aid Procedures:**

**Inhalation:** If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, summon medical assistance immediately. If breathing ceases, restore using approved artificial respiration techniques and summon medical assistance immediately.

**Eye Contact:** In case of eye contact, flush with large amounts of water for at least fifteen minutes. If irritation persists get medical attention.

**Skin Contact:** In case of skin contact, wash area thoroughly with soap and water. Remove contaminated clothing, Get medical assistance if irritation persists.

**If Swallowed DO NOT INDUCE VOMITING.** Consult physician immediately.

**WARNING:** intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

## **REACTIVITY**

### **VI. DATA**

**Stability:** Stable

**Incomparability:** Avoid contact with strong oxidizing agents.

**Hazardous Decomposition Products:** None

**Hazardous Polymerization:** Will not occur.

**Conditions to avoid:** Not applicable

### **VII. PRECAUTIONS**

**Danger:** Flammable liquid and vapor. Exposure to heat or prolonged exposure to the sun may cause bursting. Do not puncture, incinerate (burn) or store above 120°F or near open flame. Do not reuse empty containers. **Keep out of reach of children.**

**Special Precaution:** Health studies have shown that many hydrocarbons pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

**Personal Protection:** For open systems where contact is likely, wear safety glasses with side shields, long sleeves, and chemical resistant gloves. Where concentration in air may exceeded the limits, work practice or other means of exposure reduction are not adequate NIOSH/MSHA approved respirators may be necessary to prevent over exposure by inhalation.

**Ventilation:** The use of mechanical dilution ventilation is recommended whenever this product is used in a confined space, and or agitated.

### **VIII. Spill or Leak Procedures.**

**Steps to be Taken in Case Container is Punctured and Material is Released:** Clean up area by mopping or with absorbent materials and place in closed container for disposal. Consult Federal, State and local Authorities for disposal.

**Waste Disposal Method:** Consult local authorities for proper waste disposal procedures. Empty containers can not be reused yet can be recycled.

The information contained herein is based on data believed by Kim Laube and Company to be accurate, but we do not assume any liability for the accuracy of this information. We neither suggest nor guarantee that any hazards mentioned are the only ones that exist. Anyone intending to rely on any recommendation or to use any equipment, technique or material mentioned should also satisfy himself that he can meet all applicable safety and health standards. Determination of the suitability of any information or product for the use contemplated by any user, the matter of that use and whether there is any infringement of patents is the sole responsibility of the user.