

## **Identification of Substance & Company**

**Product** 

**Product name** Rapid Mastitis Test Solution

**HSNO** approval HSR002596

Approval description Laboratory Chemicals and Reagent Kits Group Standard 2017

**UN number** NA **Proper Shipping Name** NA Packaging group NA Hazchem code NA

For use in the detection of mastitis HSES

**Company Details** 

Company **Shoof International Pty Shoof International Ltd Address** 224 Laurent Road. 1 International Square,

Cambridge **Tullamarine** 3493, VIC 3043, New Zealand Australia

**Telephone** +64 7 827 3902 +61 3 9907 3000 Fax +64 7 823 0651 +61 3 9310 4760 Website www.shoof.co.nz www.shoof.com.au

> New Zealand National Poisons Centre: 0800 POISON (0800 764 766) **Australian Poisons Information Centre: 131 126**

### **Hazard Identification**

## **Approval**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002596, Laboratory Chemicals and Reagent Kits Group Standard 2017). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017.

#### **Classes Hazard Statements**

6.1E (oral) H303 - May be harmful if swallowed 6.1D (dermal) H312 - Harmful in contact with skin. 6.3B H316 - Causes mild skin irritation. 6.4A H320 - Causes eye irritation.

6.5B H317 - May cause an allergic skin reaction.

9.1D H402 - Harmful to aquatic life.

9.2D H423 - Harmful to the soil environment. 9.3C H433 - Harmful to terrestrial vertebrates. **SYMBOLS** 

# WARNING



## Other Classifications

There are no other classifications that are known to apply.

## **Precautionary Statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P264 Wash hands thoroughly after handling.
- P261 Avoid breathing vapours.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/eye protection.
- P312 Call a POISON CENTRE or doctor/physician if you feel unwell.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.

Page 1 of 6

Product Name: Rapid Mastitis Test Solution June 2019



# **Rapid Mastitis Test Solution**

**Safety Data Sheet** 

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

## **Composition / Information on Ingredients**

Component	CAS/ Identification	Conc (%)
Water	7732-18-5	60-70%
Sodium lauryl ether sulfonate	9004-82-4	<30%
Brilliant Blue Dye	3844-45-9	<1.0%
Methyl Paraben	99-76-3	<0.5%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

## First Aid

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommend	led first aid
-----------	---------------

facilities

Ready access to running water is required. Accessible eyewash is required.

**Exposure** 

**Swallowed** 

Do NOT induce vomiting. Wash mouth out with water. Give a glass of water to drink.

Call a POISON CENTRE or doctor/physician if you feel unwell.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTRE or doctor/physician if you feel unwell.

Wash contaminated clothing before reuse.

Inhaled

Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

## **Advice to Doctor**

Treat symptomatically

## **Firefighting Measures**

Fire and explosion hazards: Suitable extinguishing

substances:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unsuitable extinguishing

substances:

Unknown

Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.

Protective equipment: No special measures are required.

Hazchem code:

## **Accidental Release Measures**

Containment If greater than 1000L is stored, secondary containment and emergency plans to manage

any potential spills must be in place. In all cases design storage to prevent discharge to

storm water.

In the event of spillage alert the fire brigade to location and give brief description of **Emergency procedures** 

hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this

occurs contact your regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in

Page 2 of 6 June 2019

Product Name: Rapid Mastitis Test Solution



properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

**Disposal** Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

## 7. Storage & Handling

**Storage** Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

**Handling** Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

## 8. Exposure Controls / Personal Protective Equipment

## **Workplace Exposure Standards**

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA WES-STEL

Exposure Stds No ingredients listed

## **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety in Employment Act 1992 (HSE). Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

## **Personal Protective Equipment**

Eyes



Avoid wearing contact lenses. Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin



Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Nitrile gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after handling. A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge and a dust mist filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

## **WES Additional Information**

Not applicable

Respiratory

## 9. Physical & Chemical Properties

**Appearance** clear blue liquid Odour no odour Ha 7.0-8.0 Vapour pressure no data **Viscosity** no data **Boiling point** no data Volatile materials no data Freezing / melting point no data Solubility soluble in water Specific gravity / density 0.95-1.05

Page 3 of 6 June 2019

Product Name: Rapid Mastitis Test Solution



Flash point no data Danger of explosion no data **Auto-ignition temperature** no data **Upper & lower flammable limits** no data Corrosiveness non corrosive

## Stability & Reactivity

Stability Stable

Containers should be kept closed in order to avoid contamination. Keep from extreme Conditions to be avoided

heat and open flames.

Strong acids and bases. Incompatible groups

**Substance Specific** Incompatibility

none known

**Hazardous decomposition** 

products

none known

**Hazardous reactions** none known

## **Toxicological Information**

## Summary

IF SWALLOWED: may cause nausea and vomiting. Aspiration may cause lung damage.

IF IN EYES: liquid or mist may cause eye irritation.

IF ON SKIN: may be harmful on contact, may cause skin irritation. Sensitised individual may experience an allergic skin

reaction. (methyl paraben)

IF INHALED: Mist may cause irritation of the respiratory tract.

#### **Supporting Data**

Acute	Oral	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is between

2000 and 5000 mg/kg. Data considered includes: Sodium lauryl ether sulfonate 976

mg/kg bw (mouse).

**Dermal** Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (dermal, rat) for the mixture is between

1000 and 2000 mg/kg. Data considered includes: Sodium lauryl ether sulfonate 579

mg/kg bw (rabbit).

Inhaled Using LC<sub>50</sub>'s for ingredients, the estimated LC<sub>50</sub> (inhalation, rat) for the mixture is >5mg/L. Eye

The mixture is considered to be an eye irritant, because some of the ingredients present

are considered eye irritants in more concentrated form.

Skin The mixture is considered to be a skin irritant, because some of the ingredients present

are considered skin irritants in more concentrated form.

Sensitisation Chronic The mixture is considered to be a contact sensitizer, because at least one of the

ingredients (methyl paraben) present in greater than 0.1% is known to be a contact

sensitizer.

Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen. Carcinogenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation. **Systemic** 

No ingredient present at concentrations > 1% is considered a target organ toxicant. Aggravation of None known.

existing conditions

## 12. Ecological Data

This mixture may be harmful towards aquatic organisms, soil organisms and terrestrial vertebrates. In all cases do not allow mixture to enter waterways or drains.

## **Supporting Data**

Using EC<sub>50</sub>'s for ingredients, the calculated EC<sub>50</sub> for the mixture is between 1 and 100 Aquatic

mg/L. Data considered includes: Sodium lauryl ether sulfonate 1.25 mg/l (96 hr. Fundulus heteroclitus), 1.5 mg/l (48 hr, Artemia salina (Crustacea)), 53 mg/l (72 hr,

Scenedesmus subspicatus (Algae)).

**Bioaccumulation** No data Degradability No data

Soil This mixture may be harmful towards soil organisms.

**Terrestrial vertebrate** This mixture is considered harmful to terrestrial vertebrates. See acute toxicity.

Terrestrial invertebrate No evidence of ecotoxicity towards terrestrial invertebrates.

**Biocidal** no data

Page 4 of 6

Product Name: Rapid Mastitis Test Solution June 2019



## 13. Disposal Considerations

**Restrictions**There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method

Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

## 14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number: NA Proper shipping name: Not regulated

Class(es)NAPacking group:NAPrecautions:NAHazchem code:NA

**IMDG** 

UN number: NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA Precautions: NA EmS NA

**IATA** 

UN number: NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA Precautions: NA ERG Guide NA

## 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002596, Laboratory Chemicals and Reagent Kits Group Standard 2017.

All Ingredients appear on the NZIoC.

## **Specific Workplace Controls**

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 1000L is stored.

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 1000L is stored.

Signage Required if > 1000L is stored in any one location.

Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

Page 5 of 6

June 2019 Product Name: Rapid Mastitis Test Solution



## Other Information

**Abbreviations** 

Approval HSR002596, Laboratory Chemicals and Reagent Kits Group Standard 2017 **Approval Code** 

Controls, EPA. www.epa.govt.nz

**CAS Number** Unique Chemical Abstracts Service Registry Number

Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical Ceiling

agent to which a worker may be exposed at any time.

Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test **EC**<sub>50</sub>

population (e.g. daphnia, fish species)

Environmental Protection Authority (New Zealand)

**HAZCHEM Code** Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

Hazardous Substances and New Organisms (Act and Regulations) **HSNO** 

**IARC** International Agency for Research on Cancer

LEL Lower Explosive Limit

LD<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC<sub>50</sub> Lethal Concentration 50% - concentration in air which is fatal to 50% of a test population

(usually rats)

**NZIoC** New Zealand Inventory of Chemicals

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

**PES** Prescribed Exposure Standard means a WES or a biological exposure standard that is

prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

**STEL** Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

**TWA** Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours) Upper Explosive Limit

**UN Number** United Nations Number WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

**CAS Number** Unique Chemical Abstracts Service Registry Number

References

**UEL** 

Unless otherwise stated comes from the EPA HSNO chemical classification information Data

database (CCID).

EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) **Controls** 

Regulations 2017, www.legislation.govt.nz

**WES** The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: EU ECHA, ingredients SDS's, ChemIDplus, old SDS

Review

Date Reason for review

June 2019 Now multiple country MSDS

## Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). Full formulation details were not available. This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

